

In the Claims

1. (Previously Presented) An enzymatically prepared fat base composition comprising a mixture of vegetable-derived triglycerides, characterized in that: the total palmitic acid residues content is at most 38%w/w of the total fatty acid residues;  
at least 60%w/w of the fatty acid moieties at the *sn*-2 position of the glycerol backbone are palmitic acid residues.
2. (Previously Presented) The fat base composition of claim 1, wherein at least 62%w/w of the total palmitic acid residues are at the *sn*-2 position of the glycerol backbone.
3. (Currently Amended) The fat composition of claim 1 ~~or claim 2~~, wherein up to 70%w/w of the total palmitic acid moieties are at the *sn*-2 position of the glycerol moiety.
4. (Currently Amended) The fat base composition of claim 1 ~~any one of claims 1 to 3~~, wherein at least 70%w/w of the fatty acid moieties at the *sn*-1 and *sn*-3 positions of the glycerol backbone are oleic acid and other unsaturated fatty acid moieties.
5. (Currently Amended) The fat base composition of claim 1 ~~any one of claims 1 to 4~~, wherein at least 40%w/w, preferably 40-60%w/w, of said unsaturated fatty acid moieties at the *sn*-1 and *sn*-3 positions are oleic acid moieties.
6. (Currently Amended) The fat base composition of claim 1 ~~any one of claims 1 to 5~~, wherein at least 6%w/w, preferably 6-17%w/w, of said unsaturated fatty acid moieties at the *sn*-1 and *sn*-3 positions are linoleic acid

moieties.

7. (Currently Amended) A substitute human milk fat composition comprising a blend of at least 25% of the fat base composition of claim 1 ~~any one of claims 1 to 6~~ with up to 75% of at least one vegetable oil.

8. (Previously Presented) The substitute human milk fat composition of claim 7, wherein said vegetable oil may be selected from the group comprising soy oil, palm tree oil, canola oil, coconut oil, palm kernel oil, sunflower oil, corn oil and rapeseed oil.

9. (Currently Amended) An infant formula comprising the substitute human milk fat composition of claim 7 ~~any one of claims 7 and 8~~.

10. (Currently Amended) An infant formula comprising at least one protein component and at least one fat component, wherein said fat component is the substitute human milk fat composition of claim 7 ~~any one of claims 7 and 8~~, further optionally comprising vitamins, minerals, nucleotides, amino acids and carbohydrates.

11. (Currently Amended) A process for the preparation of the fat base composition of claim 1 ~~any one of claims 1 to 6~~, comprising the steps of:

- (a) reacting a palmitic acid rich oil with unsaturated fatty acids, preferably oleic acid, in the presence of an insoluble catalyst;
- (b) removing the catalyst;
- (c) distilling the excess free fatty acids;
- (d) bleaching the oil; and optionally
- (e) deodorizing the product of step (d).

12. (Previously Presented) The process of claim 11, optionally further comprising a step of fractionation preceding the deodorization step (e).

13. (Currently Amended) A process for the preparation of the substitute human milk fat composition of claim 7 ~~any one of claims 7 and 8~~, comprising admixing said vegetable oil with the fat base composition ~~of any one of claims 1 to 6~~.

14. (Currently Amended) Use of the fat base composition of claim 1 ~~any one of claims 1 to 6~~ in the preparation of a substitute human milk fat composition for infant formulae.

15. (Currently Amended) Use of the fat composition of claim 7 ~~any one of claims 7 and 8~~ in the preparation of an infant formula.